

Message

From: Cohen, Amy [Cohen.Amy@epa.gov]
Sent: 2/7/2018 8:07:40 PM
To: Bennett, James [bennett.james@epa.gov]
Subject: RE: GW Flow and Limited Analytical Data for the [Personal Matters / Ex. 6]

I had posters made of these that should be ready Friday

From: Bennett, James
Sent: Tuesday, February 06, 2018 5:50 PM
To: Duchovnay, Andrew <Duchovnay.Andrew@epa.gov>; Cohen, Amy <Cohen.Amy@epa.gov>; Riccio, Roberta <Riccio.Roberta@epa.gov>
Subject: Fwd: GW Flow and Limited Analytical Data for the [Personal Matters / Ex. 6]

Begin forwarded message:

From: "Venables, Blair (DNREC)" <Blair.Venables@state.de.us>
To: "Bennett, James" <bennett.james@epa.gov>
Cc: "Smailer, Steven M. (DNREC)" <Steven.Smailer@state.de.us>
Subject: GW Flow and Limited Analytical Data for the [Personal Matters / Ex. 6]

Hi Jim:

Attached is a general GW flow map for the Mountaire area and a site map for the [Personal Matters / Ex. 6] Sludge Facility. The most recent GW data that I've been able to obtain regarding the [Personal Matters / Ex. 6] so far is the 12/27/15 sampling round conducted in the facility's MWs. Downgradient MW's 4 and 3 produced samples with nitrate concentrations of 12.7 and 9.3 mg/L respectively. MW 4 lies downgradient of a farm field where sludge is applied and MW 3 is downgradient of a tree farm where sludge is applied. Upgradient MW 1 contained GW with a nitrate concentration of 10.4 mg/L on the aforementioned sampling round. Brian Churchill with the Surface Water Section said that sludge was last applied sometime in 2017 to a small portion of the Farm Field.

I think this is the gist of the info that you were looking for. If you have questions feel free to email or call me. Later.

Blair Venables P.G.
HydroGeologist

Division of Water
Water Supply Section
Groundwater Protection Branch
Dept. Natural Resources & Env. Control (DNREC)

89 Kings Hwy.
Dover, DE 19901
Phone: 302 739 9945
Fax: 302 739 2296
Email: blair.venables@state.de.us

